

Basic J Hook --- Zinc Plated

P/N	SIZE	LOADING CAPACITY	STD PKG.
ZQJH12	3/4"	60 LBS	100
ZQJH21	1-5/16"	60 LBS	100
ZQJH32	2"	60 LBS	100
ZQJH64	4"	60 LBS	100
ZQJH96	6"	60 LBS	25



Painted J Hook --- White

P/N	SIZE	LOADING CAPACITY	STD PKG.
ZQJH12WH	3/4"	60 LBS	100
ZQJH21WH	1-5/16"	60 LBS	100
ZQJH32WH	2"	60 LBS	100
ZQJH64WH	4"	60 LBS	100
ZQJH96WH	6"	60 LBS	25



Painted J Hook --- Black

P/N	SIZE	LOADING CAPACITY	STD PKG.
ZQJH12BK	3/4"	60 LBS	100
ZQJH21BK	1-5/16"	60 LBS	100
ZQJH32BK	2"	60 LBS	100
ZQJH64BK	4"	60 LBS	100
ZQJH96BK	6"	60 LBS	25



Painted J Hook --- Red

P/N	SIZE	LOADING CAPACITY	STD PKG.
ZQJH12RD	3/4"	60 LBS	100
ZQJH21RD	1-5/16"	60 LBS	100
ZQJH32RD	2"	60 LBS	100
ZQJH64RD	4"	60 LBS	100
ZQJH96RD	6"	60 LBS	25



J Hook with Steel 1/4-20 Beam Clamp

P/N	SIZE	LOADING CAPACITY	BEAM OPENING	STD PKG.
ZQJH12BC	3/4"	60 LBS	1/2" Max	100
ZQJH21BC	1-5/16"	60 LBS	1/2" Max	100
ZQJH32BC	2"	60 LBS	1/2" Max	100
ZQJH64BC	4"	60 LBS	1/2" Max	25



J Hook beam with Steel 1/4-20 Beam Clamp,swivel

P/N	SIZE	LOADING CAPACITY	BEAM OPENING	STD PKG.
ZQJH12BCS	3/4"	60 LBS	1/2" Max	100
ZQJH21BCS	1-5/16"	60 LBS	1/2" Max	100
ZQJH32BCS	2"	60 LBS	1/2" Max	100
ZQJH64BCS	4"	60 LBS	1/2" Max	25



J Hook with Bat Wing

P/N	SIZE	LOADING CAPACITY	STD PKG.
ZQJH12BW	3/4"	60 LBS	100
ZQJH21BW	1-5/16"	60 LBS	100
ZQJH32BW	2"	60 LBS	100
ZQJH64BW	4"	60 LBS	25



J Hook with Angle Bracket

P/N	SIZE	LOADING CAPACITY	STD PKG.
ZQJH12AB	3/4"	60 LBS	100
ZQJH21AB	1-5/16"	60 LBS	100
ZQJH32AB	2"	60 LBS	100
ZQJH64AB	4"	60 LBS	25



J Hook with Spring Steel Beam Clamp

P/N	HOOK SIZE	LOADING CAPACITY	BEAM OPENING	STD PKG.
ZQJH12SBC	3/4"	60 LBS	1/2" Max	100
ZQJH21SBC	1-5/16"	60 LBS	1/2" Max	100
ZQJH32SBC	2"	60 LBS	1/2" Max	100
ZQJH64SBC	4"	60 LBS	1/2" Max	25



J Hook with Spring Steel Beam Clamp,Swivel

P/N	HOOK SIZE	LOADING CAPACITY	BEAM OPENING	STD PKG.
ZQJH12SBCS	3/4"	60 LBS	1/2" Max	100
ZQJH21SBCS	1-5/16"	60 LBS	1/2" Max	100
ZQJH32SBCS	2"	60 LBS	1/2" Max	100
ZQJH64SBCS	4"	60 LBS	1/2" Max	25



J Hook with Hammer on Beam clamp Flange clip

P/N	SIZE	LOADING CAPACITY	BEAM THICKNESS	STD PKG.
ZQJH12HOB24	3/4"	60 LBS	1/8" - 1/4 "	100
ZQJH21HOB24	1-5/16"	60 LBS		100
ZQJH32HOB24	2"	60 LBS		100
ZQJH64HOB24	4"	60 LBS		25
ZQJH12HOB58	3/4"	60 LBS	5/16" - 1/2"	100
ZQJH21HOB58	1-5/16"	60 LBS		100
ZQJH32HOB58	2"	60 LBS		100
ZQJH64HOB58	4"	60 LBS		25
ZQJH12HOB912	3/4"	60 LBS	1/2" - 3/4"	100
ZQJH21HOB912	1-5/16"	60 LBS		100
ZQJH32HOB912	2"	60 LBS		100
ZQJH64HOB912	4"	60 LBS		25



J Hook with Hammer on Beam clamp,Angle Bracket,Swivel

P/N	SIZE	LOADING CAPACITY	BEAM THICKNESS	STD PKG.
ZQJH12HOF24	3/4"	60 LBS	1/8" - 1/4 "	100
ZQJH21HOF24	1-5/16"	60 LBS		100
ZQJH32HOF24	2"	60 LBS		100
ZQJH64HOF24	4"	60 LBS		25
ZQJH12HOF58	3/4"	60 LBS	5/16" - 1/2"	100
ZQJH21HOF58	1-5/16"	60 LBS		100
ZQJH32HOF58	2"	60 LBS		100
ZQJH64HOF58	4"	60 LBS		25
ZQJH12HOF912	3/4"	60 LBS	1/2" - 3/4"	100
ZQJH21HOF912	1-5/16"	60 LBS		100
ZQJH32HOF912	2"	60 LBS		100
ZQJH64HOF912	4"	60 LBS		25



J Hooks With Side Mount Magnet

P/N	SIZE	LOADING CAPACITY	Pull Out Strength	STD PKG.
ZQJH12MAG	3/4"	20	90 LBS	50
ZQJH21MAG	1-5/16"	40	90 LBS	50
ZQJH32MAG	2"	80	90 LBS	50
ZQJH64MAG	4"	300	90 LBS	25
ZQJH84MAG	6"	450	90 LBS	25



J Hook Retaining Clip

P/N	SIZE	PKG.
ZQJHRC 21	1 5/16"	100pcs/bag
ZQJHRC 32	2"	100pcs/bag
ZQJHRC 64	4"	100pcs/bag

J Hooks With 100 LB Magnet on top

P/N	SIZE	LOADING CAPACITY	Pull Out Strength	STD PKG.
ZQJH12ABMAG	3/4"	20	90 LBS	25
ZQJH21ABMAG	1-5/16"	40	90 LBS	25
ZQJH32ABMAG	2"	80	90 LBS	25
ZQJH64ABMAG	4"	300	90 LBS	25



BRIDLE RINGS WITH MACHINE SCREW THREAD

P/N	SIZE	THREAD	LOADING CAPACITY	STD PKG.
ZQBR125	1-1/4"	1/4-20	50	100
ZQBR150	1-1/2"	1/4-20	50	100
ZQBR200	2"	1/4-20	50	100
ZQBR400	4"	1/4-20	50	100
ZQBR501024	1/2"	10-24	50	100
ZQBR751024	3/4"	10-24	50	100
ZQBR1001024	1"	10-24	50	100
ZQBR1251024	1-1/4"	10-24	50	100
ZQBR1501024	1-1/2"	10-24	50	100
ZQBR2001024	2"	10-24	50	100



BRIDLE RINGS WITH WOOD SCREW THREAD

P/N	SIZE	THREAD ED	LOADING CAPACITY	STD PKG.
ZQBR100WS	1"	WOOD SCREW	50	100
ZQBR125WS	1-1/4"	WOOD SCREW	50	100
ZQBR150WS	1-1/2"	WOOD SCREW	50	100
ZQBR200WS	2"	WOOD SCREW	50	100



SCREW-MOUNT BRIDLE RING

P/N	SIZE	SCREW HOLE	LOADING CAPACITY	STD PKG.
ZQBR150NP	1-1/2"	0.26"	50	100
ZQBR200NP	2"	0.26"	50	100
ZQBR400NP	4"	0.26"	50	100



BRIDLE RINGS WITH HEAVY LOAD MAGNETIC

P/N	SIZE	Pull Strength	LOADING CAPACITY	STD PKG.
ZQBR150MAG	1-1/2"	90LBS	50	50
ZQBR200MAG	2"	90LBS	50	50
ZQBR400MAG	4"	90LBS	50	50



SANP-ON BRIDLE RING DATA-CABLE SADDLE

P/N	SIZE	DESCRIPTION	STD PKG.
ZQ150SAD	1-1/2"	Plenum-Rated Saddle	100
ZQ200SAD	2"	Plenum-Rated Saddle	100



BRIDLE RING WITH DATA CABLE SADDLE

P/N	SIZE	THREAD LEG	LOADING CAPACITY	STD PKG.
ZQBR150SAD	1-1/2"	1/4-20	50	100
ZQBR200SAD	2"	1/4-20	50	100



WOOD SCREW BRIDLE RING WITH DATA CABLE SADDLE

P/N	SIZE	THREAD LEG	LOADING CAPACITY	STD PKG.
ZQBR150SADWS	1-1/2"	WOOD SCREW	50	100
ZQBR200SADWS	2"	WOOD SCREW	50	100



SCREW-MOUNT BRIDLE RING WITH DATA CABLE SADDLE

P/N	SIZE	LOADING CAPACITY	STD PKG.
ZQBR150NPSAD	1-1/2"	50	100
ZQBR200NPSAD	2"	50	100



316 STAINLESS STEEL BRIDLE RING

P/N	SIZE	THREAD ED	LOADING CAPACITY	STD PKG.
ZQBR125SS	1-1/4"	1/4-20	50	100
ZQBR150SS	1-1/2"	1/4-20	50	100
ZQBR200SS	2"	1/4-20	50	100
ZQBR400SS	4"	1/4-20	50	100



Metal Staple

P/N	SIZE	INNER PKG.	STD PKG.
ZQSTPE12	1/2"	100	1000
ZQSTPE916	9/16"	100	1000
ZQSTPE12-500	1/2"	500	4000
ZQSTPE916-500	9/16"	500	4000
ZQSTPE12-100	1/2"	100	5000
ZQSTPE916-500	9/16"	100	5000
ZQSTPE12-250	9/16"	250	1500
ZQSTPE916-5000BKT	1/2"	2	10000
ZQSTPE916-5000BKT	9/16"	2	10000



Hammer-On Cable protection Plates

CAT#	LENGTH	WIDTH	STD PKG
ZQSP-3	3"	1.5"	100
ZQSP-6	6"	1.5"	50



DISTRIBUTION RINGS

P/N	MATERIAL	LUG SIZE	STD PKG.
ZQDR200	Aluminum	2"	50
ZQDR300	Aluminum	3"	50
ZQDR500	Aluminum	5"	50



DRIVE RINGS

P/N	SIZE	INNER PKG.	STD PKG.
ZQDRV50	1/2"	50	1000
ZQDRV58	5/8"	25	1000
ZQDRV78	7/8"	25	500
ZQDRV125	1-1/4"	25	250
ZQDRV150	1-1/2"	25	250



EMT COMPRESSION CONNECTORS - STEEL

CAT#	Size	INNER	MASTER
ZQCCN-50	1/2"	25	250
ZQCCN-75	3/4"	25	250
ZQCCN-100	1"	10	100
ZQCCN-125	1 1/4"	/	25
ZQCCN-150	1 1/2"	/	20
ZQCCN-200	2"	/	15
ZQCCN-250	2 1/2"	/	12
ZQCCN-300	3"	/	6
ZQCCN-350	3 1/2"	/	6
ZQCCN-400	4"	/	6



EMT COMPRESSION CONNECTORS - INSULATED - STEEL

CAT#	Size	INNER	MASTER
ZQCCN-50I	1/2"	25	250
ZQCCN-75I	3/4"	25	250
ZQCCN-100I	1"	10	100
ZQCCN-125I	1 1/4"	/	25
ZQCCN-150I	1 1/2"	/	20
ZQCCN-200I	2"	/	15
ZQCCN-250I	2 1/2"	/	12
ZQCCN-300I	3"	/	6
ZQCCN-350I	3 1/2"	/	6
ZQCCN-400I	4"	/	6



EMT COMPRESSION COUPLINGS - STEEL

CAT#	Size	INNER	MASTER
ZQCCP-50	1/2"	25	250
ZQCCP-75	3/4"	25	250
ZQCCP-100	1"	10	100
ZQCCP-125	1 1/4"	/	25
ZQCCP-150	1 1/2"	/	20
ZQCCP-200	2"	/	15
ZQCCP-250	2 1/2"	/	6
ZQCCP-300	3"	/	6
ZQCCP-350	3 1/2"	/	6
ZQCCP-400	4"	/	3



EMT CONNECTORS, SET SCREW - STEEL

CAT#	Size	INNER	MASTER
ZQSCN-50	1/2"	50	500
ZQSCN-75	3/4"	25	250
ZQSCN-100	1"	50	200
ZQSCN-125	1 1/4"	/	25
ZQSCN-150	1 1/2"	/	25
ZQSCN-200	2"	/	20
ZQSCN-250	2 1/2"	/	12
ZQSCN-300	3"	/	12
ZQSCN-350	3 1/2"	/	6
ZQSCN-400	4"	/	6



EMT CONNECTORS, SET SCREW INSULATED - STEEL

CAT#	Size	INNER	MASTER
ZQSCN-50I	1/2"	50	500
ZQSCN-75I	3/4"	25	250
ZQSCN-100I	1"	50	200
ZQSCN-125I	1 1/4"	/	25
ZQSCN-150I	1 1/2"	/	25
ZQSCN-200I	2"	/	20
ZQSCN-250I	2 1/2"	/	12
ZQSCN-300I	3"	/	12
ZQSCN-350I	3 1/2"	/	6
ZQSCN-400I	4"	/	6



EMT COUPLINGS, SET SCREW - STEEL

CAT#	Size	INNER	MASTER
ZQSCP-50	1/2"	50	500
ZQSCP-75	3/4"	25	250
ZQSCP-100	1"	10	100
ZQSCP-125	1 1/4"	/	25
ZQSCP-150	1 1/2"	/	25
ZQSCP-200	2"	/	20
ZQSCP-250	2 1/2"	/	12
ZQSCP-300	3"	/	12
ZQSCP-350	3 1/2"	/	6
ZQSCP-400	4"	/	6



EMT COMPRESSION CONNECTORS -RAINTIGHT - STEEL

CAT#	Size	INNER	MASTER
ZQCCNR-50	1/2"	25	250
ZQCCNR-75	3/4"	25	250
ZQCCNR-100	1"	10	100
ZQCCNR-125	1 1/4"	5	25
ZQCCNR-150	1 1/2"	2	20
ZQCCNR-200	2"	2	15
ZQCCNR-250	2 1/2"	/	12
ZQCCNR-300	3"	/	12
ZQCCNR-350	3 1/2"	/	5
ZQCCNR-400	4"	/	3



EMT COMPRESSION CONNECTORS - RAIN TIGHT - INSULATED

CAT#	Size	INNER	MASTER
ZQCCNR-50I	1/2"	25	250
ZQCCNR-75I	3/4"	25	250
ZQCCNR-100I	1"	10	100
ZQCCNR-125I	1 1/4"	5	25
ZQCCNR-150I	1 1/2"	2	20
ZQCCNR-200I	2"	2	15
ZQCCNR-250I	2 1/2"	/	12
ZQCCNR-300I	3"	/	12
ZQCCNR-350I	3 1/2"	/	5
ZQCCNR-400I	4"	/	3



EMT COMPRESSION COUPLINGS -RAINTIGHT

CAT#	Size	INNER	MASTER
ZQCCPR-50	1/2"	25	250
ZQCCPR-75	3/4"	25	250
ZQCCPR-100	1"	10	100
ZQCCPR-125	1 1/4"	/	25
ZQCCPR-150	1 1/2"	/	20
ZQCCPR-200	2"	/	15
ZQCCPR-250	2 1/2"	/	12
ZQCCPR-300	3"	/	6
ZQCCPR-350	3 1/2"	/	5
ZQCCPR-400	4"	/	3



RIGID COUPLINGS

CAT#	Size	INNER	MASTER
ZQRC-50	1/2"	/	100
ZQRC-75	3/4"	/	50
ZQRC-100	1"	/	30
ZQRC-125	1 1/4"	/	25
ZQRC-150	1 1/2"	/	25
ZQRC-200	2"	/	20
ZQRC-250	2 1/2"	/	12
ZQRC-300	3"	/	8
ZQRC-350	3 1/2"	/	4
ZQRC-400	4"	/	4



THREE PIECE COUPLING - Malleable Iron

CAT#	Size	INNER	MASTER
ZQTPC-50	1/2"	20	200
ZQTPC-75	3/4"	10	100
ZQTPC-100	1"	5	50
ZQTPC-125	1 1/4"	5	50
ZQTPC-150	1 1/2"	3	30
ZQTPC-200	2"	/	20
ZQTPC-250	2 1/2"	/	10
ZQTPC-300	3"	/	5
ZQTPC-350	3 1/2"	/	5
ZQTPC-400	4"	/	2
ZQTPC-500	5"	/	1



THREADED BUSHED NIPPLES

CAT#	Size	INNER	MASTER
ZQCNM-50	1/2"	100	1000
ZQCNM-75	3/4"	50	500
ZQCNM-100	1"	25	250
ZQCNM-125	1 1/4"	25	250
ZQCNM-150	1 1/2"	25	250
ZQCNM-200	2"	10	40
ZQCNM-250	2 1/2"	10	40
ZQCNM-300	3"	10	40
ZQCNM-350	3 1/2"	10	40
ZQCNM-400	4"	5	20



**THREADED GROUNDING BUSHING -INSULATED -
Malleable Iron**

CAT#	Size	INNER	MASTER
ZQGB-50I	1/2"	50	500
ZQGB-75I	3/4"	50	500
ZQGB-100I	1"	25	250
ZQGB-125I	1 1/4"	20	200
ZQGB-150I	1 1/2"	10	100
ZQGB-200I	2"	10	500
ZQGB-250I	2 1/2"	/	50
ZQGB-300I	3"	/	25
ZQGB-350I	3 1/2"	/	10
ZQGB-400I	4"	/	10



STEEL LOCKNUT

CAT#	Size	INNER	MASTER
ZQLNS-50	1/2"	100	2000
ZQLNS-75	3/4"	100	1000
ZQLNS-100	1"	100	1000
ZQLNS-125	1 1/4"	50	500
ZQLNS-150	1 1/2"	50	500
ZQLNS-200	2"	25	250
ZQLNS-250	2 1/2"	/	50
ZQLNS-300	3"	/	50
ZQLNS-400	4"	/	25



EMT 45° ELBOW

CAT#	Size	INNER	MASTER
ZQEMT5045	1/2"	/	50
ZQEMT7545	3/4"	/	50
ZQEMT10045	1"	/	25
ZQEMT12545	1 1/4"	/	20
ZQEMT15045	1 1/2"	/	15
ZQEMT20045	2"	/	10
ZQEMT25045	2 1/2"	/	1
ZQEMT30045	3"	/	1
ZQEMT35045	3 1/2"	/	1
ZQEMT40045	4"	/	1



EMT 90° ELBOW

CAT#	Size	INNER	MASTER
ZQEMT5090	1/2"	/	50
ZQEMT7590	3/4"	/	50
ZQEMT10090	1"	/	25
ZQEMT12590	1 1/4"	/	20
ZQEMT15090	1 1/2"	/	15
ZQEMT20090	2"	/	10
ZQEMT25090	2 1/2"	/	1
ZQEMT30090	3"	/	1
ZQEMT35090	3 1/2"	/	1
ZQEMT40090	4"	/	1



RIGID 90° ELBOW

CAT#	Size	INNER	MASTER
ZQRE5090	1/2"	/	50
ZQRE7590	3/4"	/	50
ZQRE10090	1"	/	25
ZQRE12590	1 1/4"	/	20
ZQRE15090	1 1/2"	/	10
ZQRE20090	2"	/	10
ZQRE25090	2 1/2"	/	1
ZQRE30090	3"	/	1
ZQRE35090	3 1/2"	/	1
ZQRE40090	4"	/	1
ZQRE50090	5"	/	1
ZQRE60090	6"	/	1



RIGID 45° ELBOW

CAT#	Size	INNER	MASTER
ZQRE5045	1/2"	/	50
ZQRE7545	3/4"	/	50
ZQRE10045	1"	/	25
ZQRE12545	1 1/4"	/	20
ZQRE15045	1 1/2"	/	15
ZQRE20045	2"	/	10
ZQRE25045	2 1/2"	/	1
ZQRE30045	3"	/	1
ZQRE35045	3 1/2"	/	1
ZQRE40045	4"	/	1



Steel Reducing Washers

CAT#	Reduces K.O.Hole		STD PKG
	From	To	
ZQRW-7550	3/4"	1/2"	100
ZQRW-10050	1"	1/2"	100
ZQRW-10075	1"	3/4"	100
ZQRW-12550	1 1/4"	1/2"	50
ZQRW-12575	1 1/4"	3/4"	50
ZQRW-125100	1 1/4"	1"	50
ZQRW-15050	1 1/2"	1/2"	50
ZQRW-15075	1 1/2"	3/4"	50
ZQRW-150100	1 1/2"	1"	50
ZQRW-150125	1 1/2"	1 1/4"	50
ZQRW-20050	2"	1/2"	50
ZQRW-20075	2"	3/4"	50
ZQRW-200100	2"	1"	50
ZQRW-200125	2"	1 1/4"	50
ZQRW-200150	2"	1 1/2"	50
ZQRW-25050	2 1/2"	1/2"	50
ZQRW-25075	2 1/2"	3/4"	50
ZQRW-250100	2 1/2"	1"	50
ZQRW-250125	2 1/2"	1 1/4"	50
ZQRW-250150	2 1/2"	1 1/2"	50
ZQRW-250200	2 1/2"	2"	50
ZQRW-30050	3"	1/2"	25
ZQRW-30075	3"	3/4"	25
ZQRW-300100	3"	1"	25
ZQRW-300125	3"	1 1/4"	25
ZQRW-300150	3"	1 1/2"	25
ZQRW-300200	3"	2"	25
ZQRW-300250	3"	2 1/2"	25

CAT#	Reduces K.O.Hole		STD PKG
	From	To	
ZQRW-35050	3 1/2"	1/2"	25
ZQRW-35075	3 1/2"	3/4"	25
ZQRW-350100	3 1/2"	1"	25
ZQRW-350125	3 1/2"	1 1/4"	25
ZQRW-350150	3 1/2"	1 1/2"	25
ZQRW-350200	3 1/2"	2"	25
ZQRW-350250	3 1/2"	2 1/2"	25
ZQRW-350300	3 1/2"	3"	25
ZQRW-40050	4"	1/2"	10
ZQRW-40075	4"	3/4"	10
ZQRW-400100	4"	1"	10
ZQRW-400125	4"	1 1/4"	10
ZQRW-400150	4"	1 1/2"	10
ZQRW-400200	4"	2"	10
ZQRW-400250	4"	2 1/2"	10
ZQRW-400300	4"	3"	10
ZQRW-400350	4"	3 1/2"	10
ZQRW-500400	5"	4"	1
ZQRW-600400	6"	4"	1



316 Stainless Steel Reducing Bushings

Steel Reducing Bushings

CAT#	Ext.Threads	Int.Threads	STD PKG
ZQRB-5038-SS	1/2"	3/8"	100
ZQRB-7550-SS	3/4"	1/2"	50
ZQRB-10050-SS	1"	1/2"	50
ZQRB-10075-SS	1"	3/4"	50
ZQRB-12550-SS	1 1/4"	1/2"	20
ZQRB-12575-SS	1 1/4"	3/4"	20
ZQRB-125100-SS	1 1/4"	1"	20
ZQRB-15050-SS	1 1/2"	1/2"	10
ZQRB-15075-SS	1 1/2"	3/4"	10
ZQRB-150100-SS	1 1/2"	1"	10
ZQRB-150125-SS	1 1/2"	1 1/4"	10
ZQRB-20050-SS	2"	1/2"	10
ZQRB-20075-SS	2"	3/4"	10
ZQRB-200100-SS	2"	1"	10
ZQRB-200125-SS	2"	1 1/4"	10
ZQRB-200150-SS	2"	1 1/2"	10
ZQRB-25050-SS	2 1/2"	1/2"	5
ZQRB-25075-SS	2 1/2"	3/4"	5
ZQRB-250100-SS	2 1/2"	1"	5
ZQRB-250125-SS	2 1/2"	1 1/4"	5
ZQRB-250150-SS	2 1/2"	1 1/2"	5
ZQRB-250200-SS	2 1/2"	2"	5
ZQRB-300100-SS	3"	1"	1
ZQRB-300125-SS	3"	1 1/4"	1
ZQRB-300150-SS	3"	1 1/2"	1
ZQRB-300200-SS	3"	2"	1
ZQRB-300250-SS	3"	2 1/2"	1
ZQRB-350200-SS	3 1/2"	2"	1
ZQRB-350250-SS	3 1/2"	2 1/2"	1
ZQRB-350300-SS	3 1/2"	3"	1
ZQRB-400200-SS	4"	2"	1
ZQRB-400250-SS	4"	2 1/2"	1
ZQRB-400300-SS	4"	3"	1
ZQRB-400350-SS	4"	3 1/2"	1
ZQRB-500400-SS	5"	4"	1
ZQRB-600500-SS	6"	5"	1



CAT#	Ext.Threads	Int.Threads	STD PKG
ZQRB-5038	1/2"	3/8"	100
ZQRB-7550	3/4"	1/2"	50
ZQRB-10050	1"	1/2"	50
ZQRB-10075	1"	3/4"	50
ZQRB-12550	1 1/4"	1/2"	20
ZQRB-12575-SS	1 1/4"	3/4"	20
ZQRB-125100	1 1/4"	1"	20
ZQRB-15050	1 1/2"	1/2"	10
ZQRB-15075	1 1/2"	3/4"	10
ZQRB-150100	1 1/2"	1"	10
ZQRB-150125	1 1/2"	1 1/4"	10
ZQRB-20050	2"	1/2"	10
ZQRB-20075	2"	3/4"	10
ZQRB-200100	2"	1"	10
ZQRB-200125	2"	1 1/4"	10
ZQRB-200150	2"	1 1/2"	10
ZQRB-25050	2 1/2"	1/2"	5
ZQRB-25075	2 1/2"	3/4"	5
ZQRB-250100	2 1/2"	1"	5
ZQRB-250125	2 1/2"	1 1/4"	5
ZQRB-250150	2 1/2"	1 1/2"	5
ZQRB-250200	2 1/2"	2"	5
ZQRB-300100	3"	1"	1
ZQRB-300125	3"	1 1/4"	1
ZQRB-300150	3"	1 1/2"	1
ZQRB-300200	3"	2"	1
ZQRB-300250	3"	2 1/2"	1
ZQRB-350200	3 1/2"	2"	1
ZQRB-350250	3 1/2"	2 1/2"	1
ZQRB-350300	3 1/2"	3"	1
ZQRB-400200	4"	2"	1
ZQRB-400250	4"	2 1/2"	1
ZQRB-400300	4"	3"	1
ZQRB-400350	4"	3 1/2"	1
ZQRB-500400	5"	4"	1
ZQRB-600500	6"	5"	1



EMT One Hole Strap

CAT#	Size	INNER	MASTER
ZQOS-50	1/2"	100	1000
ZQOS-75	3/4"	100	1000
ZQOS-100	1"	50	500
ZQOS-125	1 1/4"	25	250
ZQOS-150	1 1/2"	10	100
ZQOS-200	2"	10	100
ZQOS-250	2 1/2"	/	50
ZQOS-300	3"	/	25
ZQOS-350	3 1/2"	/	25
ZQOS-400	4"	/	25
ZQOS-500	5"	/	10
ZQOS-600	6"	/	10



EMT Two Hole Strap

CAT#	Size	INNER	MASTER
ZQTHS-50	1/2"	50	500
ZQTHS-75	3/4"	50	500
ZQTHS-100	1"	50	500
ZQTHS-125	1 1/4"	20	200
ZQTHS-150	1 1/2"	20	200
ZQTHS-200	2"	/	25
ZQTHS-250	2 1/2"	/	25
ZQTHS-300	3"	/	25
ZQTHS-350	3 1/2"	/	25
ZQTHS-400	4"	/	25
ZQTHS-500	5"	/	10
ZQTHS-600	6"	/	10



Rigid One Hole Strap

CAT#	Size	INNER	MASTER
ZQROHS-50	1/2"	50	500
ZQROHS-75	3/4"	50	500
ZQROHS-100	1"	50	500
ZQROHS-125	1 1/4"	20	200
ZQROHS-150	1 1/2"	20	200
ZQROHS-200	2"	/	50
ZQROHS-250	2 1/2"	/	25
ZQROHS-300	3"	/	25
ZQROHS-350	3 1/2"	/	25
ZQROHS-400	4"	/	25
ZQROHS-500	5"	/	10
ZQROHS-600	6"	/	10



Rigid Two Hole Strap

CAT#	Size	INNER	MASTER
ZQRTHS-50	1/2"	50	500
ZQRTHS-75	3/4"	50	500
ZQRTHS-100	1"	50	500
ZQRTHS-125	1 1/4"	20	200
ZQRTHS-150	1 1/2"	20	200
ZQRTHS-200	2"	/	50
ZQRTHS-250	2 1/2"	/	25
ZQRTHS-300	3"	/	25
ZQRTHS-350	3 1/2"	/	25
ZQRTHS-400	4"	/	25
ZQRTHS-500	5"	/	10
ZQRTHS-600	6"	/	10



One Hole Rigid Conduit Strap -Meablele Iron

CAT#	Size	INNER	MASTER
ZQOHSM-38	3/8"	100	1000
ZQOHSM-50	1/2"	50	500
ZQOHSM-75	3/4"	25	250
ZQOHSM-100	1"	20	200
ZQOHSM-125	1 1/4"	10	100
ZQOHSM-150	1 1/2"	/	25
ZQOHSM-200	2"	/	25
ZQOHSM-250	2 1/2"	/	25
ZQOHSM-300	3"	/	10
ZQOHSM-350	3 1/2"	/	10
ZQOHSM-400	4"	/	10



Clamp Back Spacers -Meablele Iron

CAT#	Size	INNER	MASTER
ZQCBM-50	1/2"	25	250
ZQCBM-75	3/4"	25	250
ZQCBM-100	1"	25	250
ZQCBM-125	1 1/4"	10	100
ZQCBM-150	1 1/2"	10	100
ZQCBM-200	2"	5	50
ZQCBM-250	2 1/2"	/	25
ZQCBM-300	3"	/	10
ZQCBM-350	3 1/2"	/	10
ZQCBM-400	4"	/	10



Conduit Hangers - Steel

CAT#	TRADE SIZ	FOR EMT	BOLT SIZE	MASTER
ZQCH-50	0	1/2"	1/4 20	100
ZQCH-75	1	3/4"	1/4 20	100
ZQCH-100	2	1"	1/4 20	100
ZQCH-125	3	1 1/4"	1/4 20	100
ZQCH-150	2 1/2	1 1/2"	1/2 20	100
ZQCH-200	5	2"	1/2 20	50
ZQCH-250	6	2 1/2"	5/16 18	50
ZQCH-300	7	3"	5/16 18	25
ZQCH-350	8	3 1/2"	5/16 18	25
ZQCH-400	9	4"	5/16 18	25



Right-Angle Under-Beam Conduit Clamps

P/N	SIZE	FINISH	STD PKG.
ZQRA50	1/2"	Zinc Plated Steel	50
ZQRA75	3/4"	Zinc Plated Steel	50
ZQRA100	1"	Zinc Plated Steel	25
ZQRA125	1 1/4"	Zinc Plated Steel	25
ZQRA150	1 1/2"	Zinc Plated Steel	25
ZQRA200	2"	Zinc Plated Steel	10
ZQRA250	2 1/2"	Zinc Plated Steel	10
ZQRA300	3"	Zinc Plated Steel	10
ZQRA350	3 1/2"	Zinc Plated Steel	5
ZQRA400	4"	Zinc Plated Steel	5



Heavy-Duty Floor/Ceiling Flanges

P/N	SIZE	FINISH	STD PKG.
ZQHDF50	1/2"	Zinc Plated Steel	25
ZQHDF75	3/4"	Zinc Plated Steel	25
ZQHDF100	1"	Zinc Plated Steel	25
ZQHDF125	1 1/4"	Zinc Plated Steel	25
ZQHDF150	1 1/2"	Zinc Plated Steel	25
ZQHDF200	2"	Zinc Plated Steel	25
ZQHDF250	2 1/2"	Zinc Plated Steel	5
ZQHDF300	3"	Zinc Plated Steel	5
ZQHDF400	4"	Zinc Plated Steel	5
ZQHDF500	5"	Zinc Plated Steel	1
ZQHDF600	6"	Zinc Plated Steel	1



Offset Conduit Nipples - Meablable

P/N	SIZE	FINISH	STD PKG.
ZQOCN50	1/2"	Zinc Plated Steel	100
ZQOCN75	3/4"	Zinc Plated Steel	100
ZQOCN100	1"	Zinc Plated Steel	50
ZQOCN125	1 1/4"	Zinc Plated Steel	50
ZQOCN150	1 1/2"	Zinc Plated Steel	50
ZQOCN200	2"	Zinc Plated Steel	10
ZQOCN250	2 1/2"	Zinc Plated Steel	10
ZQOCN300	3"	Zinc Plated Steel	10
ZQOCN350	3 1/2"	Zinc Plated Steel	5
ZQOCN400	4"	Zinc Plated Steel	5



Threaded Conduit Enlarger/Reducer Coupling

P/N	Conduit Size to Conduit Size		STD PKG.
ZQTCE5075	1/2"	3/4"	10
ZQTCE75100	3/4"	1"	10
ZQTCE100125	1"	1 1/4"	10
ZQTCE125150	1 1/4"	1 1/2"	10



Spring -Steel Beam Clamp- Light Duty

P/N	Opening	Holes Back & Bottom	FINISH	STD PKG.
ZQBC1	3/4"	10-24 & 1/4" - 20 Plus 3/8" Hole	Black-Oxide	100



Hammer-On Beam Flange Clamp

P/N	Flange	Hole Thread	FINISH	STD PKG.
ZQHOF24	1/8" - 1/4"	1/4 20	Black Spring	100
ZQHOF58	15/16" - 1/2"		Black Spring	100
ZQHOF912	9/16" - 3/4"		Black Spring	100



Hammer-On Beam Flange Clip

P/N	Flange	Load (Lbs)	FINISH	STD PKG.
ZQHOB24	1/8" - 1/4"	200	Zinc Plated	50
ZQHOB58	15/16" - 1/2"		Zinc Plated	50
ZQHOB912	9/16" - 3/4"		Zinc Plated	50



Threaded Rod Hanger/Hammer-on Beam Clamp Assembly

P/N	Fits Beam Thickness	Rod Size	FINISH	STD PKG.
ZQTR25	1/8"-1/4"	1/4 20	Black Spring	100
ZQTR50	15/16" - 1/2"	1/4 20	Black Spring	100
ZQTR75	9/16" - 3/4"	1/4 20	Black Spring	100



Hammer-On Beam Flange Clamp with 1/4-20 Stud

P/N	Flange	Hole Thread	FINISH	STD PKG.
ZQHOF24T	1/8"-1/4"	1/4 20	Black Spring	100
ZQHOF58T	15/16" - 1/2"		Black Spring	100
ZQHOF912T	9/16" - 3/4"		Black Spring	100



Wide-Mouth Iron Beam Clamps

P/N	Hole	Load (LBS)	FINISH	STD PKG.
ZQMBC-14210WM	1/4 20	450	Zinc Plated	50
ZQMBC-3816WM	3/8 16	1300	Zinc Plated	25
ZQMBC-1213WM	1/2 13	1700	Zinc Plated	10



Steel Beam Clamps

P/N	Jaw Size	Holes Back & Bottom	FINISH	Load (Lbs)	STD PKG.
ZQBC-1024	0.59"	10 24	Zinc Plated Iron	100	100
ZQBC-1420	0.59"	1/4 20	Zinc Plated Iron	100	100
ZQBC-3816	15/16"	3/8 16	Zinc Plated Iron	200	25



Stainless Steel Beam Clamps

P/N	Jaw Size	Holes Back & Bottom	FINISH	Load (Lbs)	STD PKG.
ZQBC-1420-SS	19/32"	1/4 20	316 Stainless	150	100
ZQBC-3816-SS	15/16"	3/8 16	316 Stainless	200	25



Beam Clamps -Malleable Iron

P/N	Jaw Opening	Hole Thread	Load (Lbs)	FINISH	STD PKG.
ZQMBC-1024	7/8"	10 24	375	Zinc Plated Steel	100
ZQMBC-1420	7/8"	1/4 20	450	Zinc Plated Steel	50
ZQMBC-3816	1 1/8"	3/8 16	1300	Zinc Plated Steel	25
ZQMBC-1213	1 3/8"	1/2 13	1700	Zinc Plated Steel	10



Stainless Steel Malleable Iron Beam Clamps

P/N	Hole Thread	Load rating(Lbs)	Load rating	FINISH	STD PKG.
ZQMBC-1024-SS	1/4 20	250	3/8"	316 Stainless	100
ZQMBC-1420-SS	3/8 16	500	3/8"	316 Stainless	50



Snap-Lock Conduit Hanger/T-Grid Clip Assembly

CAT#	CONDUIT	STD PKG
ZQSLT5075	1/2"or 3/4"	50



Push-In Conduit Hanger/Beam Clamp Assembly

CAT#	EMT CONDUIT SIZE	BEAM OPENING	STD PKG
ZQBCPI-50-TM	1/2"	1/2" Max	50
ZQBCPI-75-TM	3/4"	1/2" Max	50
ZQBCPI-100-TM	1"	1/2" Max	50



Push-In Conduit Hanger/Beam Clamp Assembly -Side

CAT#	EMT CONDUIT SIZE	BEAM OPENING	STD PKG
ZQBCPI50-SM	1/2"	1/2" Max	50
ZQBCPI75-SM	3/4"	1/2" Max	50
ZQBCPI100-SM	1"	1/2" Max	50



Snap-Lock Conduit Hanger/Beam Clamp Assembly -Side

CAT#	EMT CONDUIT SIZE	BEAM OPENING	STD PKG
ZQBCSL25075-SM	1/2"or 3/4"	1/2" Max	50
ZQBCSL2100-SM	1"	1/2" Max	50
ZQBCSL2125-SM	1 1/4"	1/2" Max	50
ZQBCSL2150-SM	1 1/2"	1/2" Max	50
ZQBCSL2200-SM	2"	1/2" Max	50



Push-In Conduit Hanger/T-Grid Clip Assembly

CAT#	EMT CONDUIT	BEAM OPENING	STD PKG
ZQBWPI-50	1/2"	1/16" - 1/4"	50
ZQBWPI-75	3/4"		50
ZQBWPI-100	1"		50



Snap-Lock Conduit Hanger/Beam Clamp Assembly -Top Mount

CAT#	EMT CONDUIT SIZE	STD PKG
ZQBCSL25075-TM	1/2"or 3/4"	50
ZQBCSL2100-TM	1"	50
ZQBCSL2125-TM	1 1/4"	50
ZQBCSL2150-TM	1 1/2"	50
ZQBCSL2200-TM	2"	50



Snap-Lock Back-to-Back Conduit Hanger

CAT#	EMT(1) SIZE	EMT(2) SIZE	STD PKG
ZQSL2SL2-50100	1/2"or 3/4"	1"	50
ZQSL2SL2-100100	1"	1"	50
ZQSL2SL2-100125	1"	1 1/4"	50



Push-In Conduit Hanger/Wing-Clip Assembly

CAT#	EMT CONDUIT SIZE	ROD SIZE	FINISH
ZQBWPI-50	1/2"	1/4"	Spring steel
ZQBWPI-75	3/4"		Spring steel
ZQBWPI-100	1"		Spring steel



Wall-Mount Threaded Rod Hangers

P/N	Rod size	Color	STD PKG.
ZQWMTR1420	1/4 20	Oxide & Zinc Plate	100
ZQWMTR3816	3/8 16	Oxide & Zinc Plate	100



Snap-Lock Conduit Hanger/ Hammer-On Beam Clamp

CAT#	ITS FLANG	MT CONDUIT SIZ	STD PKG
ZQHOBSL1234SM	1/8"-1/4"	1/2"or 3/4"	50
ZQHOBSL100SM		1"	50



Push -In Conduit Hanger Hammer-On Beam Clamp

CAT#	ITS FLANG	MT CONDUIT SIZ	STD PKG
ZQHOBPI-5025-SM	1/2"	1/8"-1/4"	50
ZQHOBPI-5050-SM	1/2"	5/16"-1/2"	50
ZQHOBPI-5075-SM	1/2"	9/16"-3/4"	50
ZQHOBPI-7525-SM	3/4"	1/8"-1/4"	50
ZQHOBPI-7550-SM	3/4"	5/16"-1/2"	50
ZQHOBPI-7575-SM	3/4"	9/16"-3/4"	50
ZQHOBPI-10025-SM	1"	1/8"-1/4"	50
ZQHOBPI-10050-SM	1"	5/16"-1/2"	50
ZQHOBPI-10075-SM	1"	9/16"-3/4"	50



Universal Drop-Rod Conduit Wing Clips

CAT#	EMT	RIGID	FLEXIBLE METAL
ZQUDR-38	3/8"	1/4"	3/8"
ZQUDR-50	1/2"	3/8"	1/2"
ZQUDR-75	3/4"	1/2"	3/4"
ZQUDR-100	1"	3/4"	1"
ZQUDR-125	1 1/4"	1"	1 1/4"



Multi-Function Clip for Plain Or Threaded Rod

P/N	Conduit Size	Color	STD PKG.
ZQBW	od,provides #1	-Oxide & Spring	50



Snap-Lock Conduit Hanger/Wing-Clip Assembly

CAT#	CONDUIT SIZ	FINISH	STD PKG
ZQBWSL1234	1/2"&3/4" Con	Spring steel	50
ZQBWSLC100	1" Conduit Har	Spring steel	50



Right-Angle Under-Beam Conduit Clamps -Malleable I

CAT#	SIZE	FINISH	STD PKG
ZQRAC-50	1/2"	vanized Iron & St	50
ZQRAC-75	3/4"	vanized Iron & St	50
ZQRAC-100	1"	vanized Iron & St	25
ZQRAC-125	1 1/4"	vanized Iron & St	25
ZQRAC-150	1 1/2"	vanized Iron & St	25
ZQRAC-200	2"	vanized Iron & St	10
ZQRAC-250	2 1/2"	vanized Iron & St	10
ZQRAC-300	3"	vanized Iron & St	10
ZQRAC-400	4"	vanized Iron & St	5



Push-In Back-to-Back Conduit Hanger

CAT#	EMT(1) SIZE	EMT(2) SIZE	STD PKG
ZQPI50PI50	1/2"	1/2"	50
ZQPI50PI75	1/2"	3/4"	50
ZQPI50PI100	1/2"	1"	50
ZQPI75PI75	3/4"	3/4"	50
ZQPI75PI100	3/4"	1"	50
ZQPI100PI100	1"	1"	50



Conduit Hanger/Beam Clamp Assembly

CAT#	EMT CONDUIT SIZE	RIGID CONDUIT SIZE	STD PKG
ZQBC14CH50	1/2"	1/2"	50
ZQBC14CH75	3/4"	3/4"	50
ZQBC14CH100	1"	1"	50
ZQBC14CH125	1 1/4"	/	50
ZQBC14CH150	1 1/2"	1 1/4"	50
ZQBC14CH175	/	1 1/2"	50
ZQBC14CH200	2"	2"	50



Snap-Lock Conduit Hanger Hammer-On Beam Clamp

CAT#	FITS FLANGE	EMT CONDUIT SIZE	STD PKG
ZQHOF24SL38	1/8"-1/4"	3/8"	50
ZQHOF24SL5075		1/2" or 3/4"	50
ZQHOF24SL100		1"	50
ZQHOF24SL125		1 1/4"	50
ZQHOF24SL150		1 1/2"	50
ZQHOF24SL200		2"	50
ZQHOF58SL38	5/16"-1/2"	3/8"	50
ZQHOF58SL5075		1/2" or 3/4"	50
ZQHOF58SL100		1"	50
ZQHOF58SL125		1 1/4"	50
ZQHOF58SL150		1 1/2"	50
ZQHOF58SL200		2"	50



Push-In Conduit Hanger Hammer-On Clamp Assembly

CAT#	EMT CONDUIT	BEAM FLANGE THICKNESS	STD PKG
ZQHOFPI5025-TM	1/2"	1/8"-1/4"	50
ZQHOFPI5050-TM	1/2"	5/16"-1/2"	50
ZQHOFPI5075-TM	1/2"	9/16"-3/4"	50
ZQHOFPI7525-TM	3/4"	1/8"-1/4"	50
ZQHOFPI7550-TM	3/4"	5/16"-1/2"	50
ZQHOFPI7575-TM	3/4"	9/16"-3/4"	50
ZQHOFPI10025-TM	1"	1/8"-1/4"	50
ZQHOFPI10050-TM	1"	5/16"-1/2"	50
ZQHOFPI10075-TM	1"	9/16"-3/4"	50



Snap-Lock Conduit Hangers

CAT#	EMT CONDUIT SIZE	STD PKG
ZQSKC38T	3/8"	100
ZQSKC50T	1/2"	100
ZQSKC100T	3/4"	50
ZQSKC125T	1"	50



Push-IN Conduit Hangers

CAT#	EMT CONDUIT SIZE	HOLE SIZE	LOAD CAPACITY	STD PKG
ZQCHP-50	1/2"	9/32"	25LBS	50
ZQCHP-75	3/4"			
ZQCHP-100	1"			



Quick-Mount Swing-Bolt Conduit Hangers

CAT#	EMT CONDUIT SIZE	STD PKG
ZQCHP-50	1/2"	50
ZQCHP-75	3/4"	25



Strut Straps for Rigid Conduit

P/N	SIZE	FINISH	STD PKG.
ZQSTR50	1/2"	Zinc Plated Steel	100
ZQSTR75	3/4"	Zinc Plated Steel	100
ZQSTR100	1"	Zinc Plated Steel	100
ZQSTR125	1 1/4"	Zinc Plated Steel	100
ZQSTR150	1 1/2"	Zinc Plated Steel	100
ZQSTR200	2"	Zinc Plated Steel	100
ZQSTR250	2 1/2"	Zinc Plated Steel	100
ZQSTR300	3"	Zinc Plated Steel	100
ZQSTR350	3 1/2"	Zinc Plated Steel	100
ZQSTR400	4"	Zinc Plated Steel	100
ZQSTR500	5"	Zinc Plated Steel	25
ZQSTR600	6"	Zinc Plated Steel	25



Stainless Steel Strut Straps for Rigid Conduit

P/N	SIZE	FINISH	STD PKG.
ZQSTR50-SS	1/2"	316 Stainless Steel	100
ZQSTR75-SS	3/4"	316 Stainless Steel	100
ZQSTR100-SS	1"	316 Stainless Steel	100
ZQSTR125-SS	1 1/4"	316 Stainless Steel	100
ZQSTR150-SS	1 1/2"	316 Stainless Steel	100
ZQSTR200-SS	2"	316 Stainless Steel	100
ZQSTR250-SS	2 1/2"	316 Stainless Steel	100
ZQSTR300-SS	3"	316 Stainless Steel	100
ZQSTR350-SS	3 1/2"	316 Stainless Steel	100
ZQSTR400-SS	4"	316 Stainless Steel	100
ZQSTR500-SS	5"	316 Stainless Steel	25
ZQSTR600-SS	6"	316 Stainless Steel	25



EMT Strut Straps

P/N	SIZE	FINISH	STD PKG.
ZQSTE50	1/2"	Zinc Plated Steel	100
ZQSTE75	3/4"	Zinc Plated Steel	100
ZQSTE100	1"	Zinc Plated Steel	50
ZQSTE125	1 1/4"	Zinc Plated Steel	50
ZQSTE150	1 1/2"	Zinc Plated Steel	50
ZQSTE200	2"	Zinc Plated Steel	50



EMT Strut Straps

P/N	SIZE	FINISH	STD PKG.
ZQSTE50-SS	1/2"	316 Stainless Steel	100
ZQSTE75-SS	3/4"	316 Stainless Steel	100
ZQSTE100-SS	1"	316 Stainless Steel	50
ZQSTE125-SS	1 1/4"	316 Stainless Steel	50
ZQSTE150-SS	1 1/2"	316 Stainless Steel	50
ZQSTE200-SS	2"	316 Stainless Steel	50



Universal Strut Straps For EMT or Rigid Conduit

P/N	SIZE	FINISH	STD PKG.
ZQSTU50	1/2"	Zinc Plated Steel	100
ZQSTU75	3/4"	Zinc Plated Steel	100
ZQSTU100	1"	Zinc Plated Steel	100
ZQSTU125	1 1/4"	Zinc Plated Steel	50
ZQSTU150	1 1/2"	Zinc Plated Steel	50
ZQSTU200	2"	Zinc Plated Steel	50



Universal Strut Straps For EMT or Rigid Conduit

P/N	SIZE	FINISH	STD PKG.
ZQSTU50-SS	1/2"	316 Stainless Steel	100
ZQSTU75-SS	3/4"	316 Stainless Steel	100
ZQSTU100-SS	1"	316 Stainless Steel	100
ZQSTU125-SS	1 1/4"	316 Stainless Steel	50
ZQSTU150-SS	1 1/2"	316 Stainless Steel	50
ZQSTU200-SS	2"	316 Stainless Steel	50



Rigid Strut Straps

P/N	SIZE	FINISH	STD PKG.
ZQSTR50	1/2"	Zinc Plated Steel	100
ZQSTR75	3/4"	Zinc Plated Steel	100
ZQSTR100	1"	Zinc Plated Steel	50
ZQSTR125	1 1/4"	Zinc Plated Steel	50
ZQSTR150	1 1/2"	Zinc Plated Steel	50
ZQSTR200	2"	Zinc Plated Steel	50
ZQSTR250	2 1/2"	Zinc Plated Steel	50
ZQSTR300	3"	Zinc Plated Steel	25
ZQSTR350	3 1/2"	Zinc Plated Steel	25
ZQSTR400	4"	Zinc Plated Steel	25
ZQSTR500	5"	Zinc Plated Steel	25
ZQSTR600	6"	Zinc Plated Steel	25



Rigid Strut Straps

P/N	SIZE	FINISH	STD PKG.
ZQSTR50-SS	1/2"	316 Stainless Steel	100
ZQSTR75-SS	3/4"	316 Stainless Steel	100
ZQSTR100-SS	1"	316 Stainless Steel	50
ZQSTR125-SS	1 1/4"	316 Stainless Steel	50
ZQSTR150-SS	1 1/2"	316 Stainless Steel	50
ZQSTR200-SS	2"	316 Stainless Steel	50
ZQSTR250-SS	2 1/2"	316 Stainless Steel	50
ZQSTR300-SS	3"	316 Stainless Steel	25
ZQSTR350-SS	3 1/2"	316 Stainless Steel	25
ZQSTR400-SS	4"	316 Stainless Steel	25
ZQSTR500-SS	5"	316 Stainless Steel	25
ZQSTR600-SS	6"	316 Stainless Steel	25



EMT One Piece Strut Clamp

CAT#	Size	INNER	MASTER
ZQSTC001	1/2"	/	100
ZQSTC002	3/4"	/	100
ZQSTC003	1"	/	100
ZQSTC004	1 1/4"	/	100
ZQSTC005	1 1/2"	/	100
ZQSTC006	2"	/	50
ZQSTC007	2 1/2"	/	50
ZQSTC008	3"	/	25
ZQSTC009	3 1/2"	/	25
ZQSTC010	4"	/	25



"U" Strut Washers

P/N	BOLT SIZE	COLOR	STD PKG.
ZQSFU70-25	1/4" -20	Zinc Plated Steel	50
ZQSFU70-38	3/8" -16	Zinc Plated Steel	50
ZQSFU70-50	1/2" -13	Zinc Plated Steel	50



One-Piece Strut Clamps(Setscrew)

P/N	EMT Conduit	Rigid Conduit	FINISH	STD PKG.
ZQOPS-50	1/2"	3/8"	Zinc Plated Steel	100
ZQOPS-75	3/4"	1/2"	Zinc Plated Steel	50
ZQOPS-100	1"	3/4"	Zinc Plated Steel	50
ZQOPS-125	1 1/4"	1"	Zinc Plated Steel	50



One-Piece Strut Clamps (Conduit Cradle)

P/N	EMT Conduit	Rigid Conduit	FINISH	STD PKG.
ZQOPSC-38	3/8"	/	Zinc Plated Steel	100
ZQOPSC-50	1/2"	/	Zinc Plated Steel	100
ZQOPSC-75	3/4"	1/2"	Zinc Plated Steel	50
ZQOPSC-100	1"	3/4"	Zinc Plated Steel	50
ZQOPSC-125	1 1/4"	1"	Zinc Plated Steel	50
ZQOPSC-150	1 1/2"	1 1/4"	Zinc Plated Steel	50
ZQOPSC-200	2"	1 1/2"	Zinc Plated Steel	50
ZQOPSC-200R	/	2"	Zinc Plated Steel	25
ZQOPSC-250	2 1/2"	2 1/2"	Zinc Plated Steel	25
ZQOPSC-300	3"	3"	Zinc Plated Steel	25
ZQOPSC-350	3 1/2"	3 1/2"	Zinc Plated Steel	10
ZQOPSC-400	4"	4"	Zinc Plated Steel	10



Strut to Beam Clamp with Bolt

P/N	STD PKG.
ZQSFBC60	25



Strut to Beam Clamp with Bolt

P/N	STD PKG.
ZQSFBC61	25



Four-Hole 45° Corner Angle

P/N	STD PKG.
ZQSFP06	25



Two-Hole 45° Corner Angle

P/N	STD PKG.
ZQSFL60	25



Four-Hole Corner Angle

P/N	FINISH	STD PKG.
ZQSFP05	Zinc Plated Steel	25



Two-Hole Corner Angle-Stainless Steel

P/N	FINISH	STD PKG.
ZQSFP04	Zinc Plated Steel	50



Three-Hole Corner Angle

P/N	FINISH	STD PKG.
ZQSFL21	Zinc Plated Steel	25



Two-Hole "Gross" Corner Angle

P/N	FINISH	STD PKG.
ZQSFL20	Zinc Plated Steel	50



Three-Hole Corner Plate - Flat

P/N	FINISH	STD PKG.
ZQSFP02	Zinc	25



Three-Hole "3 Way " Corner Angle

P/N	FINISH	STD PKG.
ZQSFL30	Zinc Plated Steel	25



Four-Hole "3 Way " Corner Angle

P/N	FINISH	STD PKG.
ZQSFL31	Zinc Plated Steel	25



Four-Hole Corner Plate - Flat

P/N	FINISH	STD PKG.
ZQSFF51	Zinc	20



Four-Hole Tee Plate - Flat

P/N	FINISH	STD PKG.
ZQSFP03	Zinc	20



Two-Hole Splice plate

P/N	FINISH	STD PKG.
ZQSFF30	Zinc Plated	50



Two-Hole Parallel Splice plate

P/N	FINISH	STD PKG.
ZQSFF34	Zinc Plated	25



Three-Hole Splice plate

P/N	FINISH	STD PKG.
ZQSFF31	Zinc Plated	25



13/16" Four-Hole U-Fitting Splice

P/N	SIZE	COLOR	STD PKG.
ZQSFU33	13/16"	Zinc Plated Steel	10



13/16" Four-Hole U-Fitting Splice

P/N	SIZE	COLOR	STD PKG.
ZQSFU32	1 5/8"	Zinc Plated Steel	10



Four-Hole Splice plate

P/N	FINISH	STD PKG.
ZQSFP01	Zinc Plated	25



Two-Hole Single-Channel Post Base

P/N	FINISH	STD PKG.
ZQSFP08	Zinc Plated Steel	5



Four-Hole Single-Channel Post Base

P/N	FINISH	STD PKG.
ZQSFP13	Zinc Plated Steel	5



Four-Hole Single-Channel Post Base

P/N	FINISH	STD PKG.
ZQSFP09	Zinc Plated Steel	5



Strut Nuts - No Spring

P/N	SIZE	STD PKG.
ZQSNNS1420	1/4 20	50
ZQSNNS3816	3/8 16	50
ZQSNNS1213	1/2 13	50



Squeeze Nuts

P/N	SIZE	STD PKG.
ZQSNSQ1420	1/4 20	100
ZQSNSQ3816	3/8 16	100
ZQSNSQ1213	1/2 13	100



Cone Nuts

P/N	SIZE	STD PKG.
ZQSNCN1420	1/4 20	100
ZQSNCN3816	3/8 16	100
ZQSNCN1213	1/2 13	100



"Quick Shot" Threaded Hanger Clips

P/N	Threaded Hole	STD PKG.
ZQTRH-1420	1/4 20	100
ZQTRH-3816	3/8 16	100



Spring Nuts

P/N	SIZE	Spring size	STD PKG.
ZQSQSN1420-20	1/4 20	20mm	50
ZQSQSN3816-20	3/8 16		50
ZQSQSN1213-20	1/2 13		50
ZQSQSN1420-39	1/4 20	39mm	50
ZQSQSN3816-39	3/8 16		50
ZQSQSN1213-39	1/2 13		50
ZQSQSN1420-76	1/4 20	76mm	50
ZQSQSN3816-76	3/8 16		50
ZQSQSN1213-76	1/2 13		50



Universal Box Mounting Bracket

CAT#	Size	MASTER
ZQ23	4" OR 4 11/16" SQUARE	50



Multi Box Mounting Bracket

CAT#	Size	HOLES	MASTER
ZQBS16	4" OR 4 11/16"	3	50
ZQBS24	4" OR 4 11/16"	4	50



Stud Wall Cable Supports

CAT#	Size	INNER	STD PKG
ZQBHA16	/	11" to 18"	50
ZQBHA24	/	11" to 18"	50



Stud Wall Cable Supports

CAT#	Size	INNER	STD PKG
ZQCJ6	/	100	1000




One-Gang Device Bracket

CAT#	Fits Walls	Device Openings	STD PKG.
ZQWBF-1	3/8" to 1 1/2"	1	100



Two Gang Low-Voltage Device Bracket for Hollow Walls

CAT#	Fits Walls	Device Opening	STD PKG.
ZQWBF-2	3/8" to 1 1/2"	1	50



Hollow Wall Switchbox Supports

CAT#	Description	PKG. Pairs
ZQSBS	1 7/8 Leg for Standard Thickness Walls	100



Rod Angle Brackets

CAT#	Rod size	Small Thru Hole size	Large Thru Hole size	FINISH	STD PKG.
ZQRBA-1/4	1/4"	0.250"	0.250"	Zinc Plated Steel	100
ZQRBA-1/4-SS	1/4"	0.250"	0.250"	316 Stainless Steel	100
ZQRBA-3/8	3/8"	0.280"	0.385"	Zinc Plated Steel	100
ZQRBA-3/8-SS	3/8"	0.280"	0.385"	316 Stainless Steel	100



ALUMINUM LAY-IN LUGS

P/N	MATERIAL	LUG SIZE	STD PKG.
ZQ4/14AL	4/14	1-1/16"	100
ZQ1/0-8AL	1/0-8	1-1/2"	100
ZQ3/0-6AL	3/0-6	2"	50
ZQ250MCM-6AL	250MCM-6	2-3/16"	50




COPPER LAY-IN LUGS

P/N	MATERIAL	LUG SIZE	STD PKG.
ZQ4/14CL	4/14	1-1/16"	100
ZQ1/0-8CL	1/0-8	1-1/2"	100
ZQ3/0-6CL	3/0-6	2"	50



Grounding Busbars

CAT#	Size	INNER	MASTER
ZQGB2-6	2" * 6" 1/4"	/	20
ZQGB2-12	2" * 12" 1/4"	/	10
ZQGB4-12	4" * 12" 1/4"	/	10
ZQGB4-24	4" * 24" 1/4"	/	4



Green Ground Screw

CAT#	OVERALL LENGTH	ATTACHMENT	STD PKG.
ZQGS	3/8"	10-32 Ground	100



14 Gauge Stranded Wire

CAT#	COLOR	OVERALL LENGTH	ATTACHMENT	STD PKG.
ZQPTST14BK	Black	8"	Flanged Spade Terminal & Pre-Stripped 5/8"	100
ZQPTST14WH	White	8"		100
ZQPTST14RD	Red	8"		100
ZQPTST14YE	Yellow	8"		100
ZQPTST14BU	Blue	8"		100



12 Gauge Stranded Wire

CAT#	COLOR	OVERALL LENGTH	ATTACHMENT	STD PKG.
ZQPTST12BK	Black	8"	Flanged Spade Terminal & Pre-Stripped 5/8"	100
ZQPTST12WH	White	8"		100
ZQPTST12RD	Red	8"		100
ZQPTST12YE	Yellow	8"		100
ZQPTST12BU	Blue	8"		100



14 Gauge Solid Wire

CAT#	COLOR	OVERALL LENGTH	ATTACHMENT	STD PKG.
ZQPTSO14BK	Black	8"	Both Ends Prestripped 5/8"	100
ZQPTSO14WH	White	8"		100
ZQPTSO14RD	Red	8"		100
ZQPTSO14YE	Yellow	8"		100
ZQPTSO14BU	Blue	8"		100
ZQPTSO14GN	Green	8"		100



12 Gauge Solid Wire

CAT#	COLOR	OVERALL LENGTH	ATTACHMENT	STD PKG.
ZQPTSO12BK	Black	8"	Both Ends Prestripped 5/8"	100
ZQPTSO12WH	White	8"		100
ZQPTSO12RD	Red	8"		100
ZQPTSO12YE	Yellow	8"		100
ZQPTSO12BU	Blue	8"		100
ZQPTSO12GN	Green	8"		100



Green Grounding Pig Tails

CAT#	FIG#	WIRE SIZE	WIRE TYPE	COLOR	OVERALL LENGTH	ATTACHMENT	STD PKG.
ZQPTST14GN-SF	1	14 Gauge	Stranded	Green	8"	Flanged Spade Terminal & Captive 10-23 Green Screw	100
ZQPTST12GN-SF	1	12 Gauge	Stranded	Green	8"	Flanged Spade Terminal & Captive 10-23 Green Screw	100
ZQPTST12GN-F	2	12 Gauge	Stranded	Green	8"	Flanged Spade Terminal & Prestripped 5/8"	100
ZQPTST14GN-F	3	14 Gauge	Solid	Green	8"	Captive 10-32 Green Screw & Stripped 5/8"	100
ZQPTSO12GN-S	3	12 Gauge	Solid	Green	8"	Captive 10-32 Green Screw & Stripped 5/8"	100
ZQPTSO14GN-S	4	12 Gauge	Solid	Green	8"	Stripped 5/8" on both ends	100



FIG# 1




FIG# 2



FIG# 3

3-1/2" ROUND PAN - 1/2" DEEP - DRAWN

P/N	REF.NO	SIDE KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
ZQ46111-1/2R	ZQ292	4 priouts	1-1/2"	—	50	YES



3-1/2" ROUND PAN - 3/4" DEEP - DRAWN

P/N	REF.NO	SIDE KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
ZQ46111-3/4R	ZQ287	4 priouts	1-1/2"	—	50	YES




4" ROUND CEILING PAN - 1/2" - DRAWN

P/N	REF.NO	SIDE KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
ZQ56111	ZQ293	—	5-1/2"	—	50	YES




3-1/2" OCTAGON BOX AND EXTENSION RING - 1-1/2" DEEP - DRAWN


P/N	REF.NO	SIDE KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
ZQ24151-1/2	ZQ110	4-1/2"	1-1/2"	—	50	YES
—	ZQ111	4-1/2"	—	—	25	—
—	ZQ112	4 Cables, 2-1/2"	1-1/2"	—	50	—
—	ZQ119	4 Cables, 1-1/2"	1-1/2"	TS brkt	25	—




ZQ110



ZQ111




ZQ112




ZQ119

4" OCTAGON BOX AND EXTENSION RING - 1-1/2" DEEP - DRAWN


P/N	REF.NO	SIDE KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
ZQ54151-1/2	ZQ125	4-1/2"	5-1/2"	—	50	YES
ZQ54151-3/4	ZQ126	4-3/4"	3-1/2",2-3/4"	—	50	YES
—	ZQ127	2-1/2",2-3/4"	3-1/2",2-3/4"	—	50	—
ZQ55151-1/2	ZQ128	4-1/2"	—	—	50	YES
ZQ55151-1234	ZQ130	2-1/2",2-3/4"	—	—	50	YES
—	ZQ145	4 Cables, 2-1/2"	1-1/2"	—	50	—
—	ZQ146	4 Cables, 2-1/2"	1-1/2"	—	50	—
—	ZQ150	4 Cables, 2-1/2"	1-1/2"	—	50	—
ZQ54151-BX	ZQ153	4 Cables, 1-1/2"	1-1/2"	—	25	YES
ZQ54151-TSBX	ZQ155	4 Cables, 1-1/2"	1-1/2"	TS brkt	50	YES
ZQ54151-JBX	ZQ157	4 Cables, 2-1/2"	1-1/2"	J brkt	50	YES
—	ZQ158	4-1/2"	5-1/2"	J brkt	50	—
—	ZQ160	4 Cables, 2-1/2"	1-1/2"	J brkt	50	—
ZQ54151-TS	ZQ161	3-1/2"	5-1/2"	TS brkt	50	YES
—	ZQ164	4 Cables, 2-1/2"	1-1/2"	TS brkt	50	—
ZQ54151-HU	ZQ324	4-1/2"	4-1/2"	3/8" Stud,adj.	25	YES
ZQ54151-HUBX	ZQ325	4 Cables, 2-1/2"	—	3/8" Stud,adj.	25	YES
ZQ54151-HUR	ZQ326	4 Cables, 1-1/2"	—	3/8" Stud,adj.	25	YES



ZQ125



ZQ126




ZQ127



ZQ128




ZQ130



ZQ145




ZQ146




ZQ150




ZQ153




ZQ155




ZQ157




ZQ158




ZQ160




ZQ161




ZQ164



ZQ324




ZQ325



ZQ326

4" OCTAGON BOX - 2-1/8" DEEP - DRAWN

P/N	REF.NO	SIDE KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
ZQ54171-1/2	ZQ165	4-1/2"	5-1/2"	—	50	YES
ZQ54171-3/4	ZQ166	4-3/4"	3-1/2",2-3/4"	—	50	YES
ZQ54171-1234	ZQ167	2-1/2",2-3/4"	2-3/4",3-1/2"	—	50	YES
—	ZQ175	4 Cables, 1-1/2"	1-1/2"	—	50	—
—	ZQ176	4 Cables, 2-1/2"	1-1/2"	J brkt	25	—
—	ZQ177	4 Cables, 1-1/2"	1-1/2"	TS brkt	25	—
—	ZQ294	2 Cables,2-1/2"	1-1/2"	FA brkt	10	—
—	ZQ299	4 Cables, 2-1/2"	1-1/2"	—	50	—




ZQ165




ZQ166




ZQ167




ZQ175




ZQ176



ZQ177



ZQ294



ZQ299


4" SQUARE BOX - 1-1/4" DEEP - DRAWN

P/N	REF.NO	SIDE KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
—	ZQ185	10-1/2"	5-1/2"	—	50	—




4" SQUARE BOX - 1-1/2" DEEP - DRAWN


P/N	REF.NO	SIDE KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
ZQ52151-1/2DR	ZQ190	12-1/2"	4-1/2"	—	50	YES
ZQ52151-3/4DR	ZQ191	8-3/4"	1-1/2",3-3/4"	—	50	YES
ZQ52151DR-1234	ZQ192	8-1/2",4-3/4"	2-1/2",2-3/4"	—	50	YES



ZQ190




ZQ191



ZQ192

4" SQUARE EXTENSION - 1-1/2" DEEP - DRAWN


P/N	REF.NO	SIDE KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
—	ZQ187	8-1/2",4-3/4"	—	—	50	—
ZQ53151-1/2	ZQ201	12-1/2"	—	—	50	YES
—	ZQ202	8-3/4"	—	—	50	—
ZQ53151-1234	ZQ203	8-1/2",4-3/4"	—	—	50	YES



ZQ187



ZQ201




ZQ202




ZQ203

4" SQUARE BOXES - 1-1/2" DEEP - WELDED


P/N	REF.NO	SIDE KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
—	ZQ181	8-3/4"	1-1/2",4-3/4"	—	50	—
ZQ52151-MKO	ZQ189	8-1/2",4-TKO	3-1/2",2-TKO	—	50	YES
ZQ52151-B	ZQ193	6-1/2",4-TKO	3-1/2",2-TKO	B,FLUSH	25	YES
ZQ52151-MKO-F	ZQ196	6-1/2",3-TKO	3-1/2",2-TKO	FM,FLUSH	25	YES
ZQ52151-MKO-WB	ZQ197	6-1/2",3-TKO	3-1/2",2-TKO	FH,FLUSH	25	YES
ZQ52151-3/4F	ZQ199	6-3/4"	1-1/2",4-3/4"	FM,FLUSH	25	YES
—	ZQ208	6-1/2",3-TKO	3-1/2",2-TKO	W,FLUSH	25	—
—	ZQ211	4 Cables,4-1/2", 2-TKO	1-1/2"	—	50	—
ZQ52151-BX	ZQ213	4 Cables,4-1/2", 2-TKO	1-1/2"	—	50	YES
ZQ52151-FBX	ZQ218	4 Cables,2-1/2", 1-TKO	1-1/2"	FM,FLUSH	25	YES
ZQ52151-WBBX	ZQ219	4 Cables,2-1/2", 1-TKO	1-1/2"	FH,FLUSH	25	YES
ZQ52151-WBR	ZQ220	4 Cables,2-1/2", 1-TKO	1-1/2"	FH,FLUSH	25	YES
—	ZQ223	4 Cables,2-1/2", 1-TKO	1-1/2"	FM,FLUSH	25	—
ZQ52151-BBX	ZQ224	4 Cables,2-1/2", 1-TKO	1-1/2"	B,FLUSH	25	YES
ZQ52151-BR	ZQ225	4 Cables,2-1/2", 1-TKO	1-1/2"	B,FLUSH	25	YES
—	ZQ227	4-1/2",5-TKO	3-1/2",2-TKO	MS,FLUSH	25	—
—	ZQ228	4 Cables,2-1/2", 1-TKO	1-1/2"	MS,FLUSH	25	—
ZQ52151-MSBX	ZQ229	4 Cables,2-1/2", 1-TKO	1-1/2"	MS,FLUSH	25	YES




ZQ181




ZQ189




ZQ193




ZQ199




ZQ196




ZQ197




ZQ213




ZQ208




ZQ211




ZQ220




ZQ218




ZQ219




ZQ225




ZQ223




ZQ224



ZQ229




ZQ227



ZQ228


4" SQUARE BOX - 2-1/8" DEEP - WELDED

P/N	REF.NO	SIDE KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
ZQ52171-3/4	ZQ231	8-3/4"	1-1/2",4-3/4"	—	25	YES
ZQ52171-MKO	ZQ232	8-1/2",4-TKO	3-1/2",2-TKO	—	25	YES
—	ZQ232PT	8-1/2",4-TKO	3-1/2",2-TKO	—	25	—
ZQ52171-1	ZQ233	8-1"	3-1/2",2-3/4"	—	25	YES
ZQ52171-TS	ZQ235	6-1/2",3-TKO	3-1/2",2-TKO	TS,FLUSH	25	YES
ZQ52171-3/4F	ZQ236	6-3/4"	1-1/2",4-3/4"	FM,FLUSH	25	YES
ZQ52171-F	ZQ237	8-1/2",4-TKO	3-1/2",2-TKO	FM,FLUSH	25	YES
ZQ52171-MS	ZQ238	4-1/2",5-TKO	3-1/2",2-TKO	MS,FLUSH	25	YES
ZQ52171-TSR	ZQ240	4 Cables,2-1/2", 1-TKO	1-1/2"	TS,FLUSH	25	YES
ZQ52171-TSBX	ZQ241	4 Cables,2-1/2", 1-TKO	1-1/2"	TS,FLUSH	25	YES
ZQ52171-R	ZQ242	4 Cables,4-1/2", 2-TKO	1-1/2"	—	25	YES
—	ZQ243	4 Cables,2-1/2", 1-TKO	1-1/2"	MS,FLUSH	25	—
ZQ52171-BX	ZQ248	4 Cables,4-1/2", 2-TKO	1-1/2"	—	25	YES




4" SQUARE BOX - 2-1/8" DEEP - DRAWN

P/N	REF.NO	SIDE KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
ZQ52171-SDR	ZQ239	8-1/2",4-3/4"	3-1/2",2-3/4"	—	25	YES




4" SQUARE TWO DEVICE SWITCH BOX - 2-1/8" DEEP - DRAWN


P/N	REF.NO	SIDE KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
—	ZQ680	12-1/2"	5-1/2"	—	25	—
—	ZQ681	9-1/2"	5-1/2"	TS brkt	25	—
—	ZQ683	8-1/2",4-3/4"	3-1/2",2-3/4"	—	25	—
—	ZQ685	6-3/4"	3-1/2",2-3/4"	TS brkt	25	—




ZQ680



ZQ681




ZQ683




ZQ685

4-11/16" SQUARE BOXES AND EXTENSION RINGS - 1-1/2" DEEP - DRAWN


P/N	REF.NO	SIDE KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
—	ZQ245	12-1/2"	3-1/2",2-3/4"	—	25	—
ZQ72151-3/4DR	ZQ246	10-3/4"	3-1/2",2-3/4"	—	25	YES
ZQ72151-1234	ZQ247	8-1/2",4-3/4"	3-1/2",2-3/4"	—	25	YES
—	ZQ250	8-1/2",4-3/4"	—	—	25	—




ZQ245



ZQ246




ZQ247




ZQ250

4-11/16" SQUARE BOXES - 2-1/8" DEEP - WELDED


P/N	REF.NO	SIDE KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
ZQ72171-FSW	ZQ254	2-1/2",7-TKO	1-1/2",2-3/4",2-TKO	FM brkt	25	YES
ZQ72171-MKO	ZQ257	2-1/2",10-TKO	1-1/2",2-3/4",2-TKO	—	25	YES
ZQ72171-1	ZQ258	8-1"	3-1/2",2-3/4"	—	25	YES
ZQ72171-1-1/4	ZQ259	6-11/4"	3-1/2",2-3/4"	—	25	YES
ZQ72171-3/4-1	ZQ265	4-3/4",4-1"	2-1/2",2-3/4"	—	25	YES
—	ZQ266	2-1/8",10-TKO	1-1/2",2-3/4",2-TKO	MS,FLUSH	25	—




ZQ254




ZQ257




ZQ258



ZQ259




ZQ265



ZQ266



4-11/16" SQUARE EXTENSION - 2-1/8" DEEP - DRAWN

P/N	REF.NO	SIDE KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
—	ZQ262	8-1/2", 4-3/4"	—	—	25	—





CONCRETE RINGS AND COVERS

P/N	REF.NO	DEPTH	KO SIZES	NO.ROWS KO'S	STD PKG.	UL LISTED
ZQ2CB	ZQ270	2"	1/2" & 3/4"	SINGLE	25	YES
ZQ25CB	ZQ271	2-1/2"	1/2" & 3/4"	SINGLE	25	YES
ZQ3CB	ZQ272	3"	1/2" & 3/4"	SINGLE	25	YES
ZQ35CB	ZQ273	3-1/2"	1/2" & 3/4"	DOUBLE	20	YES
ZQ4CB	ZQ274	4"	1/2" & 3/4"	DOUBLE	20	YES
ZQ5CB	ZQ275	5"	1/2" & 3/4"	DOUBLE	10	YES
ZQ6CB	ZQ276	6"	1/2" & 3/4"	DOUBLE	10	YES
ZQ3CB-75100	ZQ277	3"	3/4" & 1"	SINGLE	25	YES
ZQ35CB-75100	ZQ278	3-1/2"	3/4" & 1"	SINGLE	20	YES
ZQ4CB-75100	ZQ279	4"	3/4" & 1"	DOUBLE	20	YES
—	ZQ890	—	3-1/2", 2-3/4"	4-1/2"	25	—
—	ZQ891	3/8" STUD	2-1/2", 2-3/4"	4-1/2"	25	—
—	ZQ892	FLAT, BLANK	—	4-1/2"	25	—



ZQ270, ZQ271, ZQ272, ZQ277, ZQ278

ZQ273, ZQ274, ZQ275, ZQ276, ZQ279



ZQ890

ZQ890


ZQ892

4" x 2" HANDY BOXES AND EXTENSION - 1-1/2" DEEP - WELDED

P/N	REF.NO	SIDE KO	END KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
ZQHSB-1-50	ZQ650	6-1/2"	2-1/2"	3-1/2"	—	50	YES
—	ZQ653	6-1/2"	2-1/2"	—	—	25	—
—	ZQ655	3-1/2"	2-1/2"	3-1/2"	B brkt, 1/4"	50	—



ZQ650



ZQ655




ZQ653

4" x 2" HANDY BOXES AND EXTENSION - 1-7/8" DEEP - DRAWN

P/N	REF.NO	SIDE KO	END KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
ZQG19281	ZQ660	6-1/2"	2-1/2"	3-1/2"	—	50	YES
ZQG19281-TS	ZQ662	3-1/2"	2-1/2"	3-1/2"	TS brkt, 1/2"	50	YES
ZQG19281-3/4	ZQ663	4-3/4"	2-3/4"	2-3/4"	—	50	YES
—	ZQ665	6-1/2"	2-1/2"	—	—	50	—




ZQ660



ZQ662




ZQ663




ZQ665

3" x 2" SWITCH BOX - 1-1/2" DEEP

P/N	REF.NO	SIDE KO	END KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
ZQG500	ZQ400	—	2-1/2"	1-1/2"	EARS	50	YES
ZQG500-R	ZQ410	—	4 Cables	—	EARS	50	YES
—	ZQ411	—	4 Cables	1-1/2"	EARS	50	—



ZQ400




ZQ410



ZQ411

3" x 2" SWITCH BOX - 2" DEEP

P/N	REF.NO	SIDE KO	END KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
ZQG600	ZQ420	4-1/2"	2-1/2"	2-1/2"	EARS	50	YES
ZQG600-BX	ZQ440	—	4 Cables	1-1/2"	EARS	50	YES
ZQG600-R	ZQ445	—	4 Cables	1-1/2"	EARS	50	YES



ZQ420




ZQ440



ZQ445

3" x 2" SWITCH BOX - 2-1/2" DEEP


P/N	REF.NO	SIDE KO	END KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
ZQG601	ZQ500	4-1/2"	2-1/2"	2-1/2"	EARS	50	YES
—	ZQ501	4-1/2"	2-1/2"	2-1/2"	—	50	—
ZQG601-B	ZQ502	4-1/2"	2-1/2"	2-1/2"	B brkt,5/8"	10	YES
ZQG601-3/4	ZQ503	4-1/2"	2-3/4"	2-1/2"	EARS	50	YES
ZQG601-TS	ZQ504	2-1/2"	2-1/2"	2-1/2"	TS brkt,1/2"	50	YES
ZQG601-3/4-TS	ZQ505	2-1/2"	2-3/4"	2-1/2"	TS brkt,1/2"	50	YES
—	ZQ506	—	2-1/2"	2-1/2"	OLD WORK, GRIPTITE	20	—
ZQG601-OW	ZQ509	—	2-1/2"	2-1/2"	OLD WORK	20	YES
ZQG601-OWR	ZQ512	4 Cables	—	1-1/2"	OLD WORK	20	YES
ZQG601-BX	ZQ518	—	4 Cables	1-1/2"	EARS	50	YES
ZQG601-R	ZQ519	—	4 Cables	1-1/2"	EARS	50	YES
ZQG601-BBX	ZQ522	—	4 Cables, 2-1/2"	1-1/2"	Long B,5/8"	50	YES
ZQG601-OWBX	ZQ523	—	4 Cables	1-1/2"	OLD WORK, GRIPTITE	50	YES
ZQG601-TSBX	ZQ524	—	4 Cables, 2-1/2"	1-1/2"	TS brkt,1/2"	50	YES
—	ZQ526	—	4 Cables	—	OLD WORK	20	—
—	ZQ528	—	4 Cables, 2-1/2"	1-1/2"	LEVEL BUMPS	50	—
ZQG601-BR	ZQ529	—	4 Cables, 2-1/2"	1-1/2"	B brkt,5/8"	50	YES
ZQG601-TSR	ZQ531	—	4 Cables, 2-1/2"	1-1/2"	TS brkt,1/2"	50	YES
—	ZQ540	—	4 Cables, 2-1/2"	1-1/2"	B brkt,1/4"	50	—
—	ZQ596	—	4 Cables, 2-1/2"	1-1/2"	—	50	—




ZQ500, ZQ503




ZQ501



ZQ502




ZQ504, ZQ505




ZQ506




ZQ509




ZQ512




ZQ518



ZQ519




ZQ522




ZQ523




ZQ524




ZQ526




ZQ528




ZQ529



ZQ531




ZQ540




ZQ596

3" x 2" SWITCH BOX - 2-3/4" DEEP


P/N	REF.NO	SIDE KO	END KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
ZQG602	ZQ560	4-1/2"	2-1/2"	2-1/2"	EARS	50	YES
—	ZQ561	4-1/2"	2-1/2"	2-1/2"	—	50	—
ZQG602-TS	ZQ562	2-1/2"	2-1/2"	2-1/2"	TS brkt, 1/2"	50	YES
ZQG602-TSR	ZQ564	2-1/2"	4 Cables, 2-1/2"	1-1/2"	TS brkt, 1/2"	50	YES
ZQG602-3/4	ZQ565	4-1/2"	2-3/4"	2-1/2"	EARS	50	YES
ZQG602-R	ZQ567	4-1/2"	4 Cables, 2-1/2"	1-1/2"	EARS	50	YES
ZQG602-BX	ZQ570	4-1/2"	4 Cables, 2-1/2"	1-1/2"	EARS	50	YES
ZQG602-TSBX	ZQ574	2-1/2"	4 Cables, 2-1/2"	1-1/2"	TS brkt, 1/2"	50	YES




ZQ560,ZQ565




ZQ561




ZQ562




ZQ564



ZQ567




ZQ570



ZQ574

3" x 2" SWITCH BOX - 3-1/2" DEEP

P/N	REF.NO	SIDE KO	END KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
ZQG603	ZQ590	4-1/2"	4-1/2"	1-1/2"	EARS	50	YES
ZQG603-3/4	ZQ591	4-3/4"	4-3/4"	1-1/2"	EARS	50	YES
—	ZQ592	4-1/2"	4-1/2"	1-1/2"	—	50	—
ZQG603-BX	ZQ600	4-1/2"	4 Cables, 2-1/2"	1-1/2"	EARS	25	YES
ZQG603-R	ZQ601	4-1/2"	4 Cables, 2-1/2"	1-1/2"	EARS	25	YES
ZQG603-BBX	ZQ603	4-1/2"	4 Cables, 2-1/2"	1-1/2"	B brkt, 5/8"	25	YES
ZQG603-TSBX	ZQ604	4-1/2"	4 Cables, 2-1/2"	1-1/2"	TS brkt, 1/2"	25	YES
ZQG603-TSR	ZQ605	4-1/2"	4 Cables, 2-1/2"	1-1/2"	TS brkt, 1/2"	25	YES




ZQ590,ZQ591




ZQ592




ZQ600




ZQ601



ZQ603




ZQ604




ZQ605

MULTI - DEVICE SWITCH BOXES - 2-1/2" DEEP - WELDED

P/N	REF.NO	SIDE KO	END KO	BOTTOM KO	BRACKET	STD PKG.	UL LISTED
ZQTB-325-F	EB686	6-TKO	2-TKO	6-TKO	3-GANG, FB Brkt	10	YES
ZQTB-425-F	EB687	8-TKO	2-TKO	8-TKO	4-GANG, FB Brkt	10	YES




EB686




EB687

GANG BOXES - 1-5/8" DEEP - WELDED


P/N	REF.NO	NO.OF GANGS	SIDE KO	END KO	BOTTOM KO	STD PKG.	UL LISTED
ZQGB-1582	ZQ951	2	4 TKO	8 TKO	3-1/2",2-3/4"	5	YES
ZQGB-1583	ZQ952	3	4 TKO	10 TKO	6-1/2",4-3/4"	5	YES
ZQGB-1584	ZQ953	4	4 TKO	12 TKO	6-1/2",4-3/4"	5	YES
ZQGB-1585	ZQ954	5	4 TKO	14 TKO	6-1/2",4-3/4"	5	YES
ZQGB-1586	ZQ955	6	4 TKO	16 TKO	6-1/2",4-3/4"	1	YES
ZQGB-1587	ZQ956	7	4 TKO	18 TKO	6-1/2",4-3/4"	1	YES
ZQGB-1588	ZQ957	8	4 TKO	20 TKO	6-1/2",4-3/4"	1	YES
ZQGB-1589	ZQ958	9	4 TKO	22 TKO	6-1/2",4-3/4"	1	YES




ZQ951




ZQ952




ZQ953




ZQ954




ZQ955



ZQ956




ZQ957




ZQ958

GANG BOXES - 2-1/2" DEEP - WELDED


P/N	REF.NO	NO.OF GANGS	SIDE KO	END KO	BOTTOM KO	STD PKG.	UL LISTED
ZQGB-2122	ZQ941	2	4 TKO	8 TKO	3-1/2",2-3/4"	5	YES
ZQGB-2123	ZQ942	3	4 TKO	10 TKO	6-1/2",4-3/4"	5	YES
ZQGB-2124	ZQ943	4	4 TKO	12 TKO	6-1/2",4-3/4"	5	YES
ZQGB-2125	ZQ944	5	4 TKO	14 TKO	6-1/2",4-3/4"	5	YES
ZQGB-2126	ZQ945	6	4 TKO	16 TKO	6-1/2",4-3/4"	5	YES
ZQGB-2127	ZQ946	7	4 TKO	18 TKO	6-1/2",4-3/4"	5	YES
ZQGB-2128	ZQ947	8	4 TKO	20 TKO	6-1/2",4-3/4"	5	YES
—	ZQ948	9	4 TKO	22 TKO	6-1/2",4-3/4"	5	—




ZQ941




ZQ942




ZQ943




ZQ944




ZQ945



ZQ946



ZQ947




ZQ948

MASONRY BOXES - 2-1/2" DEEP


P/N	REF.NO	NO.OF GANGS	SIDE KO	END KO	BOTTOM KO	STD PKG.	UL LISTED
—	ZQ690	1	4 CONCENTRIC	2 CONCENTRI	2 CONCENTRIC	25	—
—	ZQ691	2	4 CONCENTRIC	4 CONCENTRI	4 CONCENTRIC	25	—
—	ZQ692	3	4 CONCENTRIC	6 CONCENTRI	3 CONCENTRIC	10	—
—	ZQ693	4	4 CONCENTRIC	8 CONCENTRI	4 CONCENTRIC	10	—
—	ZQ694	5	4 CONCENTRIC	10 CONCENTRI	5 CONCENTRIC	10	—
—	ZQ960	6	4 CONCENTRIC	12 CONCENTRI	6 CONCENTRIC	1	—




ZQ690




ZQ691




ZQ692



ZQ693



ZQ694




ZQ960

MASONRY BOXES - 3-1/2" DEEP


P/N	REF.NO	NO.OF GANGS	SIDE KO	END KO	BOTTOM KO	STD PKG.	UL LISTED
—	ZQ695	1	4 CONCENTRIC	4 CONCENTRI	2 CONCENTRIC	25	—
—	ZQ696	2	4 CONCENTRIC	4 CONCENTRI	4 CONCENTRIC	10	—
—	ZQ697	3	4 CONCENTRIC	12 CONCENTRI	3 CONCENTRIC	10	—
—	ZQ698	4	4 CONCENTRIC	16 CONCENTRI	4 CONCENTRIC	10	—
—	ZQ699	5	4 CONCENTRIC	20 CONCENTRI	5 CONCENTRIC	10	—
—	ZQ965	6	4 CONCENTRIC	24 CONCENTRI	6 CONCENTRIC	1	—




ZQ695




ZQ696




ZQ697



ZQ698




ZQ699




ZQ965

4" OCTAGON AND ROUND COVERS

P/N	REF.NO	DESCRIPTION	STD PKG.	UL LISTED
ZQ54C1	ZQ722	FLAT, BLANK	100	YES
ZQ54C1-R	ZQ724	FLAT, 1/2" KO	100	YES
ZQ54C42	ZQ729	FLAT, TOGGLE SWITCH	50	YES
ZQ54C40	ZQ731	FLAT, DUPLEX RECEPTACLE	50	YES




ZQ722



ZQ724



ZQ729




ZQ731

4" SQUARE COVER

P/N	REF.NO	DESCRIPTION	STD PKG.	UL LISTED
ZQ52C1	ZQ752	FLAT, BLANK	50	YES
ZQ52C6	ZQ753	FLAT, 1/2" KO IN CENTER	50	YES
—	ZQ767	1/2" RAISED, OPEN, EARS 2-3/4" O.C.	50	—
—	ZQ756	5/8" RAISED, OPEN, EARS 2-3/4" O.C.	50	—
—	ZQ759	3/4" RAISED, OPEN, EARS 2-3/4" O.C.	50	—
—	ZQ757	1" RAISED, OPEN, EARS 2-3/4" O.C.	25	—
—	ZQ758	1-1/4" RAISED, OPEN, EARS 2-3/4" O.C.	25	—



ZQ752



ZQ753




ZQ756, ZQ757, ZQ758,
ZQ759, ZQ767

4" SQUARE COMBINATION - DEVICE AND TILE COVERS - SINGLE DEVICE

P/N	REF.NO	DESCRIPTION	STD PKG.	UL LISTED
ZQ41000	ZQ787	FLAT	50	YES
ZQ41025	ZQ771	1/4" RAISED	50	YES
—	ZQ772	1/2" RAISED	50	—
ZQ41058	ZQ768	5/8" RAISED	50	YES
ZQ41075	ZQ773	3/4" RAISED	50	YES
ZQ41100	ZQ774	1" RAISED	50	YES
ZQ41125	ZQ775	1-1/4" RAISED	25	YES
ZQ41150	ZQ785	1-1/2" RAISED	25	YES
ZQ41200	ZQ786	2" RAISED	25	YES





ZQ768, ZQ771, ZQ772,
ZQ773, ZQ774, ZQ775,
ZQ785, ZQ786



ZQ787

4" SQUARE COMBINATION - DEVICE AND TILE COVERS - TWO DEVICE

P/N	REF.NO	DESCRIPTION	STD PKG.	UL LISTED
ZQ42000	ZQ791	FLAT	50	YES
ZQ42025	ZQ777	1/4" RAISED,DRAWN	50	YES
ZQ42050	ZQ778	1/2" RAISED,DRAWN	50	YES
ZQ42058	ZQ769	5/8" RAISED,DRAWN	50	YES
ZQ42075	ZQ779	3/4" RAISED,DRAWN	50	YES
ZQ42100	ZQ780	1" RAISED,DRAWN	25	YES
ZQ42125	ZQ781	1-1/4" RAISED,DRAWN	25	YES
ZQ42150	ZQ795	1-1/2" RAISED	25	YES
ZQ42200	ZQ796	2" RAISED	25	YES




ZQ769,ZQ777,ZQ778,
ZQ779,ZQ780,ZQ781,
ZQ795,ZQ796


ZQ791

4" SQUARE SURFACE COVERS - RAISED 1/2"


P/N	REF.NO	DESCRIPTION	STD PKG.	UL LISTED
—	ZQ800	1 TOGGLE SWITCH,CRUSHED CORNERS	50	—
—	ZQ801	1 RECEPTACLE 1.406" DIA.	50	—
—	ZQ803	2 TOGGLE SWITCHES	50	—
—	ZQ808	1 GFCI	50	—
—	ZQ809	2 GFCI	50	—
—	ZQ810	30-50A RECEPTACLE, 2.141" DIA.	50	—
—	ZQ811	30A LOCKING, 1.719" DIA.	50	—
—	ZQ812	20A RECEPTACLE, 1.594" DIA.	50	—
—	ZQ813	30-60A RECEPTALCE, 2.625" DIA.	50	—
—	ZQ814	1GFCI & 1 TOGGLE SWITCH	50	—
—	ZQ902	1 DUPLEX RECEPTACLE,CRUSHED	50	—
—	ZQ906	1 DUPLEX & 1 TOGGLE SWITCH	50	—
—	ZQ907	2 DUPLEX RECEPTACLES	50	—
—	ZQ915	1 GFCI & 1 DUPLEX RECEPTACLE	50	—




ZQ800




ZQ801, ZQ811, ZQ812




ZQ803




ZQ808




ZQ809




ZQ810




ZQ813




ZQ814




ZQ902



ZQ906




ZQ907




ZQ915

4" SQUARE SURFACE COVERS - GREY POWDER COATING - RAISED 1/2"


P/N	REF.NO	DESCRIPTION	STD PKG.	UL LISTED
—	ZQ800P	1 TOGGLE SWITCH, CRUSHED CORNERS	50	—
—	ZQ801P	1 RECEPTACLE 1.406" DIA.	50	—
—	ZQ803P	2 TOGGLE SWITCHES	50	—
—	ZQ808P	1 GFCI	50	—
—	ZQ809P	2 GFCI	50	—
—	ZQ810P	30-50A RECEPTACLE, 2.141" DIA.	50	—
—	ZQ811P	30A LOCKING, 1.719" DIA.	50	—
—	ZQ812P	20A RECEPTACLE, 1.594" DIA.	50	—
—	ZQ813P	30-60A RECEPTACLE, 2.625" DIA.	50	—
—	ZQ814P	1GFCI & 1 TOGGLE SWITCH	50	—
—	ZQ902P	1 DUPLEX RECEPTACLE, CRUSHED CORNERS	50	—
—	ZQ906P	1 DUPLEX & 1 TOGGLE SWITCH	50	—
—	ZQ907P	2 DUPLEX RECEPTACLES	50	—
—	ZQ915P	1 GFCI & 1 DUPLEX RECEPTACLE	50	—




ZQ800P




ZQ801P, ZQ811P, ZQ812P




ZQ803P




ZQ808P




ZQ809P




ZQ810P




ZQ813P




ZQ814P




ZQ902P



ZQ906P



ZQ907P



ZQ915P

4-11/16" SQUARE COVER


P/N	REF.NO	DESCRIPTION	STD PKG.	UL LISTED
ZQ72C1	ZQ832	FLAT, BLANK	50	YES
ZQ72C6	ZQ833	FLAT, 1/2" KO IN CENTER	50	YES
—	ZQ53000	FLAT	25	—
ZQ53050X	ZQ829	1/2" RAISED, OPEN, EARS 2-3/4" O.C.	25	YES
ZQ53058X	ZQ835	5/8" RAISED, OPEN, EARS 2-3/4" O.C.	25	YES
—	ZQ53075	3/4" RAISED, OPEN, EARS 2-3/4" O.C.	25	—
—	ZQ53100	1" RAISED, OPEN, EARS 2-3/4" O.C.	25	—
—	ZQ53125	1-1/4" RAISED, OPEN, EARS 2-3/4" O.C.	25	—
—	ZQ53150	1-1/2" RAISED, OPEN, EARS 2-3/4" O.C.	25	—
—	ZQ53200	2" RAISED, OPEN, EARS 2-3/4" O.C.	25	—



ZQ832



ZQ833




ZQ53000



ZQ829, ZQ835, ZQ53075, ZQ53100, ZQ53125, ZQ53150, ZQ53200


4-11/16" SQUARE COMBINATION - DEVICE AND TILE COVERS - SINGLE DEVICE

P/N	REF.NO	DESCRIPTION	STD PKG.	UL LISTED
—	ZQ51000	FLAT	50	—
—	ZQ51025	1/4" RAISED	50	—
ZQ51050	ZQ837	1/2" RAISED	50	YES
ZQ51058	ZQ843	5/8" RAISED	50	YES
ZQ51075	ZQ838	3/4" RAISED	50	YES
ZQ51100	ZQ839	1" RAISED	25	YES
ZQ51125	ZQ842	1-1/4" RAISED	25	YES
ZQ51150	ZQ898	1-1/2" RAISED	25	YES
ZQ51200	ZQ899	2" RAISED	25	YES




4-11/16" SQUARE COMBINATION - DEVICE AND TILE COVERS - TWO DEVICE

P/N	REF.NO	DESCRIPTION	STD PKG.	UL LISTED
ZQ52050	ZQ841	1/2" RAISED	50	YES
ZQ52058	ZQ818	5/8" RAISED	50	YES
ZQ52075	ZQ840	3/4" RAISED	50	YES
ZQ52100	ZQ819	1" RAISED	25	YES
ZQ52125	ZQ820	1-1/4" RAISED	25	YES
ZQ52150	ZQ885	1-1/2" RAISED	25	YES
—	ZQ52200	2" RAISED	25	—



4" x 2" HANDY BOX COVERS - 2-5/16" WIDE x 4-3/16" LENGTH

P/N	REF.NO	DESCRIPTION	STD PKG.	UL LISTED
ZQG19290	ZQ860	BLANK	25	YES
ZQG19430	ZQ861	1/2" KO IN CENTER	25	YES
ZQG19350	ZQ865	TOGGLE SWITCH	25	YES
—	ZQ654	DUPLEX RECEPTACLE	25	—
ZQG19320	ZQ863	SINGLE RECEPTACLE 1.406" DIA.	25	YES
ZQG19420	ZQ867	20A RECEPTACLE, 1.594" DIA.	25	YES




ZQ860




ZQ861



ZQ865




ZQ864




ZQ863, ZQ867

DEVICE COVERS FOR GANG BOXES, RAISED 3/4"


P/N	REF.NO	NO.OF GANGS	WIDTH	STD PKG.	UL LISTED
ZQGBDC-342	ZQ821	2	7-1/16"	5	YES
ZQGBDC-343	ZQ822	3	8-7/8"	5	YES
ZQGBDC-344	ZQ823	4	10-11/16"	5	YES
ZQGBDC-345	ZQ824	5	12-1/2"	5	YES
ZQGBDC-346	ZQ825	6	14-5/16"	5	YES
ZQGBDC-347	ZQ826	7	16-1/8"	5	YES
ZQGBDC-348	ZQ827	8	17-15/16"	5	YES
ZQGBDC-349	ZQ828	9	19-3/4"	5	YES




ZQ821




ZQ822




ZQ823




ZQ824




ZQ825



ZQ826



ZQ827



ZQ828